## **Immunization Packet - 4 steps**

All forms and uploads must be completed at https://rutgers.medicatconnect.com



Fill out the Mandatory Health Questionnaire



Ask your healthcare provider to fill out this immunization packet

Some of your vaccines may have already transferred into our system from the NJ vaccine registry or your previous time at Rutgers. To check your vaccine record, PRINT your record from the Immunization tab.

Please do not re-submit immunizations that are already in the system.



Enter the dates of your vaccines or labs under the immunization tab



Upload your signed, completed packet and any supporting documentation, if applicable (ex: labs, blood work, x-ray report)

Clinical students (category 1) immunization requirements apply to students who will see patients or clients during the course of their program and may be exposed to blood or body fluids.

Not sure of your category? Reach out to your program.

Required:
Measles Mumps Rubella
Hepatitis B, including labs for immunity
Adult Tdap
Tuberculosis screening
Varicella
Annual flu

May be required (see immunization form for details): Meningitis ACYW Meningitis B



## Student to complete

Last name  RUID or A number  School/Program	_ First name _ Email	Cell	B <i>(mm/dd/yyyy)</i> phone d year	
	Healthcare provider to	complete		
Healthcare provider name (print):  Date			Practice stamp	
Healthcare provider name (sign):	I			
NPI:				
Measles, Mumps, Rubella (MMR) – Comp	lete option A, B, or C to fulfill t	this requirement		
Option A: MMR vaccine doses	Vaccine/Titer	Date (mm/dd/yyyy)	Result	
First dose on or after first birthday and a	MMR dose 1	<u> </u>		
second dose at least 28 days after.	MMR dose 2	/	-	
Option B: MMR serological immunity		/ /		
To satisfy this option, blood tests must	Measles (Rubeola) titer		☐ Immune ☐ Non-Immune	
demonstrate immunity to measles,				
mumps, and rubella.  LAB REPORTS ARE REQUIRED AND MUST	Mumps titer		☐ Immune ☐ Non-Immune	
BE UPLOADED TO THE PORTAL	Rubella titer		□ Immune □ Non-Immune	
Option C: Measles, Mumps and Rubella	Measles dose 1	/ /	- minute - Non-initialie	
immunizations if given separately.	Measles dose 2			
Doses may be entered individually in this			-	
section.	Mumps dose 1			
DO NOT RE-ENTER DOSES IF LISTED ABOVE	Mumps dose 2/		-	
DO NOT RE-ENTER DOSES IF LISTED ABOVE	Rubella dose 1			
Hepatitis B				
Hep B antibody test	Test	Date (mm/dd/yyyy)	Lab Results	
To satisfy the requirement, you must	Quantitative Hep B		☐ Immune (≥10 mIU/mL)	
provide a QUANTITATIVE Hep B surface	surface antibody		☐ Non-immune (If you are	
antibody test showing immunity to			non-immune you must provide	
Hepatitis B.			a Hep B surface antigen and	
LAB REPORTS ARE REQUIRED AND MUST			restart the series)  □ Non-responder (after 2	
BE UPLOADED TO THE PORTAL			complete series)	
Hep B surface antigen	Hep B surface antigen		complete series/	
We recommend submitting a Hep B				
surface antigen in case the quantitative			☐ Negative ☐ Positive	
Hep B surface antibody does not				
demonstrate immunity.				


Updated: 3.2025 Category 1 Immunization Packet | 1

Healthcare	Provider	Initials



Last name	First name		DOB (mm/dd/yyyy)	RU	ID or A number _		
If you are not immune to Hepatitis B, you have 2 options: (1) receive a booster dose & recheck your immunity OR (2) complete the series & recheck your immunity. Immunity can be checked 4-6 weeks after a vaccine dose.							
Hep B vaccine doses		Vaccine	Date (mm/dd/yyyy)	Manufactur	 er		
If starting the series, at least one dose is		Hep B dose 1		□ Engerix	□ Twinrix	□ Heplisav	
required prior to enrollment.		Hep B dose 2	/ /	□ Engerix	□ Twinrix	□ Heplisav	
		Hep B dose 3		□ Engerix	□ Twinrix	·	
Repeat Hepatitis B series Vaccine		Date (mm/dd/yyyy)	Manufacturer				
Only if not immune after primar	-	Hep B dose 4	/ /	□ Engerix	□ Twinrix	□ Heplisav	
receive booster dose OR comple		Hep B dose 5	/ /	□ Engerix	□ Twinrix	□ Heplisav	
before rechecking for immunity.	. * *	Hep B dose 6	/ /	□ Engerix	□ Twinrix		
**Student MUST demonstrate	immunity to	fulfill the	Quantitative Hep B	surface antib	odv		
requirement. Immunity can be checked 4-6 weeks after a vaccine dose. LAB REPORT(S) MUST BE UPLOADED TO THE PORTAL		//	□ Immune (≥10 mIU/mL) □ Non-immune				
Adult Tdap (Tetanus, Diphtheria & Acellular Pertussis)				□ Adacel	□ Boostrix		
Annual Influenza – List vaccina	ation for the d	current flu season	/				
Tuberculosis (TB) Screening –	Complete on	tion A or P to fulfill	this requirement				
Option A: PPD (Mantoux) skin		tion A or B to juijiii	this requirement				
Required regardless of prior BCC			PPD place	ed i	PPD read	Induration	
To complete this option:		PPD 1 / /		/ /	mm		
2 step PPD (consisting of 2 PPDs placed 1-3 weeks apart and		DDD 2 / /					
read 48-72 hours after placeme	ent) within the	e past 6 months	PPD 2 mm				
of your enrollment date.			Both tests must be < 10mm.				
If PPD is positive (≥ 10mm), is the student free of TB symptoms? □ Yes □ No  If yes, list date of the positive PPD and induration/, mm  Was the student treated? □ Yes □ No  If yes, for how long was the student treated and with which medication?  If PPD is positive: option B or a chest x-ray** must be completed.							
Option B: FDA approved blood test To complete this option, you must provide an FDA approved blood test showing absence of TB infection within the past 6 months of your enrollment date.  LAB REPORT MUST BE UPLOADED TO THE PORTAL		Blood test Date:/ Result: □ Negative □ Positive  Type: □ QuantiFeron Gold □ T-Spot					
If your TB Blood test result is positive, a chest x-ray** must be completed.		□ Lab report attached					
**Chest x-ray result  To complete this option a chest x-ray within the past 6 months must be normal and report must be uploaded to the portal.		Chest x-ray  Date:/  □ Normal □ Abnormal  □ Report attached					

Updated: 3.2025 Category 1 Immunization Packet | 2





Last name	First name	e DOB ( <i>mm/d</i>		/dd/yyyy)	y) RUID or A number	
Varicella (Chicken Pox) – Complete option A or B to fulfill this requirement						
Option A: Varicella	vaccine doses	Vaccine		Date (mm/dd/yyyy)	Result	
First dose on or afte	r your first birthday a	nd Varicella dose	1			
a second dose at lea	st 28 days apart	Varicella dose	2			
Option B: Varicella serologic immunity						
-	n, you must provide a					
blood test demonst	rating immunity to	Varicella titer		1 1	□ Immune □ Non-Immune	
varicella.				//	□ Lab report a	ttached
	REQUIRED AND MUST	BE				
UPLOADED AS AN A	TTACHMENT					
_	and Meningitis B – M	=	required for s	students who meet the o	criteria listed belo	w. Please
	ent to determine your re					
_	equirement assessme	nt				
Check all that apply  You will be under	<u>pelow:</u> 19 years old at the start	of your first somestor				
	irst year in any college a	•		using regardless of your	age	
	duate student would NC		•		-	o Rutgers)
	nore of the following co	nditions: asplenia, sick	le cell, N. me	eningitidis lab work, cor	nplement deficien	ncy or
complement inhib						
	to/resident of areas with			£ d 0.0		
If you checked any of the boxes above, you must receive at least one dose of an approved Meningitis ACYW.  Meningitis ACYW   Vaccine   Date (mm/dd/yyyy)   Manufacturer						
Meningitis ACYW	Vaccine	Date (mm/dd/yyyy)	ivianuiaci	urer		
The most recent						
The most recent	Men ACYW dose 1	/	□ Menved	o □ Menactra	□ Menomune	□ MenQuadfi
dose must be on	Men ACYW dose 1	//	□ Menved	o □ Menactra I	□ Menomune	□ MenQuadfi
dose must be on or after your 16th	Men ACYW dose 1  Men ACYW dose 2		□ Menved		□ Menomune □ Menomune	<ul><li>□ MenQuadfi</li><li>□ MenQuadfi</li></ul>
dose must be on	Men ACYW dose 2					·
dose must be on or after your 16th birthday.	Men ACYW dose 2 ement assessment					·
dose must be on or after your 16th birthday.  Meningitis B require Check all that apply	Men ACYW dose 2 ement assessment	g conditions: aspleni	□ Menved	o □ Menactra	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B require Check all that apply  You have one or complement inh	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV		□ Menved	o □ Menactra	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B required Check all that apply a You have one or complement in the You are a traveled.	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas	s with endemic meni	□ Menved  a, sickle cell  ingitis	D □ Menactra	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B required Check all that apply or you have one or complement in the You are a traveled of you checked any or or a traveled or you checked any or or after your 16th birthday.	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y	s with endemic meni ou must receive a N	□ Menved  a, sickle cell  ngitis  leningitis B	D □ Menactra  I, N. meningitidis lab v	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B required Check all that apply a You have one or complement in the You are a traveled.	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y Vaccine	s with endemic meni	□ Menved  a, sickle cell  ngitis  leningitis B  Manufact	D □ Menactra  I, N. meningitidis lab voccination series.  turer	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B required Check all that apply or you have one or complement in the You are a traveled of you checked any or or a traveled or you checked any or or after your 16th birthday.	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y	s with endemic meni ou must receive a N	□ Menved  a, sickle cell  ngitis  leningitis B	Menactra  I, N. meningitidis lab v  vaccination series.  turer  ba   Bexsero	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B required Check all that apply or you have one or complement in the You are a traveled of you checked any or or a traveled or you checked any or or after your 16th birthday.	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y Vaccine	s with endemic meni ou must receive a N	□ Menved  a, sickle cell  ngitis  leningitis B  Manufact	Menactra  I, N. meningitidis lab voccination series.  turer  aba Bexsero	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B required Check all that apply or you have one or complement in the You are a traveled of you checked any or or a traveled or you checked any or or after your 16th birthday.	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y Vaccine Men B dose 1	s with endemic meni ou must receive a N	□ Menved  a, sickle cell  ngitis  leningitis B  Manufact  □ Trumen	vaccination series.  turer  ba Bexsero  ba Bexsero	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B require Check all that apply  You have one or complement inhoration You are a traveled If you checked any of Meningitis B	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y Vaccine Men B dose 1 Men B dose 2	ou must receive a M  Date (mm/dd/yyyy)	□ Menved a, sickle cell ingitis leningitis B	vaccination series.  turer  ba Bexsero  ba Bexsero	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B require Check all that apply  You have one or complement inhoration You are a traveled If you checked any of Meningitis B	Men ACYW dose 2  ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y  Vaccine  Men B dose 1  Men B dose 2  Men B dose 3	ou must receive a M  Date (mm/dd/yyyy)	□ Menved a, sickle cell ingitis leningitis B	vaccination series.  turer  ba Bexsero  ba Bexsero	□ Menomune	□ MenQuadfi
dose must be on or after your 16th birthday.  Meningitis B require Check all that apply  You have one or complement inhorate You are a traveled If you checked any of Meningitis B	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y Vaccine Men B dose 1 Men B dose 2 Men B dose 3 if you have receive	with endemic menion must receive a M  Date (mm/dd/yyyy)	□ Menved a, sickle cell ingitis leningitis B	vaccination series. turer ba Bexsero ba Bexsero ba highly recommende	□ Menomune	□ MenQuadfi ent deficiency or uired.
dose must be on or after your 16th birthday.  Meningitis B require Check all that apply  You have one or complement inh You are a traveled of the second of	Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, y Vaccine Men B dose 1 Men B dose 2 Men B dose 3 if you have receive	with endemic menic ou must receive a M  Date (mm/dd/yyyy)	□ Menved  a, sickle cell  ngitis  leningitis B  Manufact  □ Trumen  □ Trumen  □ Trumen  ccine. It is l	vaccination series. turer ba Bexsero ba Bexsero ba Cervarix	□ Menomune  work, compleme	□ MenQuadfi ent deficiency or uired.

Updated: 3.2025 Category 1 Immunization Packet | 3

☐ Gardasil 9

□ Cervarix

□ Unknown

□ Gardasil 4





Last name	First name	DOB (mm/dd/yyyy)		RUID or A number			
Indicate additional vaccinations you may have received.							
Vaccine	Date (mm/dd/yyyy)						
COVID-19 (most recent dose)		□ Pfizer	□ Moderna □ Novavax	□ Other			
Hepatitis A	/						
Japanese Encephalitis	/						
Pneumococcal	/	□ PCV13	□ PPSV23				
	/	□ PCV13	□ PPSV23				
	/	□ PCV13	□ PPSV23				
	/	□ PCV13	□ PPSV23				
Polio Booster	/						
Rabies	/						
	/						
Typhoid (most recent dose)		□ TyphIN	1 □ Vivotif				
Yellow Fever	//_						

Updated: 3.2025 Category 1 Immunization Packet | 4