

Immunization Packet - 4 steps

All forms and uploads must be completed at https://rutgers.medicatconnect.com/



Fill out the Mandatory Health Questionnaire



Ask your healthcare provider to fill out this Immunization Packet

Some of your vaccines may have already transferred into our system from the NJ vaccine registry or your previous time at Rutgers. To check your vaccine record, PRINT your record from the Immunization tab.

Please do not re-submit immunizations that are already in the system.



Enter the dates of your vaccines or labs under the Immunization tab



Upload your signed, completed packet and any supporting documentation, if applicable (ex: labs, blood work, x-ray report)

Clinical students (category 1) immunization requirements apply to students who will see patients or clients during the course of their program and may be exposed to blood or body fluids.

Not sure of your category? Reach out to your program.

Required:
Measles Mumps Rubella
Hepatitis B, including labs for immunity
Adult Tdap
Tuberculosis screening
Varicella
Annual flu
Physical Exam

May be required (see immunization form for details): Meningitis ACYW Meningitis B



Student to complete

Last name RUID or A number School/Program	_ First name _ Email	Cell	B <i>(mm/dd/yyyy)</i> phone d year	
	Healthcare provider to	complete		
Healthcare provider name (print): Date			Practice stamp	
Healthcare provider name (sign):	I			
NPI:				
Measles, Mumps, Rubella (MMR) – Comp	lete option A, B, or C to fulfill t	this requirement		
Option A: MMR vaccine doses	Vaccine/Titer	Date (mm/dd/yyyy)	Result	
First dose on or after first birthday and a	MMR dose 1	<u> </u>		
second dose at least 28 days after.	MMR dose 2	/	-	
Option B: MMR serological immunity		/ /		
To satisfy this option, blood tests must	Measles (Rubeola) titer		☐ Immune ☐ Non-Immune	
demonstrate immunity to measles,				
mumps, and rubella. LAB REPORTS ARE REQUIRED AND MUST	Mumps titer		☐ Immune ☐ Non-Immune	
BE UPLOADED TO THE PORTAL	Rubella titer		□ Immune □ Non-Immune	
Option C: Measles, Mumps and Rubella	Measles dose 1	/ /	- minute - Non-initialie	
immunizations if given separately.	Measles dose 2			
Doses may be entered individually in this			-	
section.	Mumps dose 1			
DO NOT RE-ENTER DOSES IF LISTED ABOVE	Mumps dose 2	<u> </u>	_	
DO NOT RE-ENTER DOSES IF LISTED ABOVE	Rubella dose 1			
Hepatitis B				
Hep B antibody test	Test	Date (mm/dd/yyyy)	Lab Results	
To satisfy the requirement, you must	Quantitative Hep B		☐ Immune (≥10 mIU/mL)	
provide a QUANTITATIVE Hep B surface	surface antibody		☐ Non-immune (If you are	
antibody test showing immunity to			non-immune you must provide	
Hepatitis B.			a Hep B surface antigen and	
LAB REPORTS ARE REQUIRED AND MUST			restart the series) □ Non-responder (after 2	
BE UPLOADED TO THE PORTAL			complete series)	
Hep B surface antigen	Hep B surface antigen		complete series/	
We recommend submitting a Hep B				
surface antigen in case the quantitative			☐ Negative ☐ Positive	
Hep B surface antibody does not				
demonstrate immunity.				


Updated: 3.2025 Category 1 Immunization Packet | 1

Healthcare	Provider	Initials



Last name	First name		DOB (mm/dd/yyyy)	RU	IID or A number _	
If you are not immune to Hepatitis B, you have 2 options: (1) receive a booster dose & recheck your immunity OR (2) complete the series & recheck your immunity. Immunity can be checked 4-6 weeks after a vaccine dose.						
Hep B vaccine doses		Vaccine	Date (mm/dd/yyyy)	Manufactur	er	
If starting the series, at least on	ne dose is	Hep B dose 1	/ /	□ Engerix	□ Twinrix	☐ Heplisav
required prior to enrollment.	Hep B dose 2	/ /	□ Engerix	□ Twinrix	□ Heplisav	
		Hep B dose 3		□ Engerix	□ Twinrix	- 1
Repeat Hepatitis B series		Vaccine	Date (mm/dd/yyyy)	Manufactur	 er	
Only if not immune after primar	-	Hep B dose 4	1 1	□ Engerix	□ Twinrix	□ Heplisav
receive booster dose OR comple		Hep B dose 5	/ /	□ Engerix	□ Twinrix	□ Heplisav
before rechecking for immunity.	,	Hep B dose 6	/ /	□ Engerix	□ Twinrix	
**Student MUST demonstrate	immunity to	fulfill the	Quantitative Hep B	surface antib	odv	
requirement. Immunity can be checked 4-6 weeks after a vaccine dose. LAB REPORT(S) MUST BE UPLOADED TO THE PORTAL			//	// □ Immune (≥10 mIU/mL) □ Non-immune		
Adult Tdap (Tetanus, Diphtheria & Acellular Pertussis)				□ Adacel	□ Boostrix	
Annual Influenza – List vaccina	ation for the d	current flu season	/			
Tuberculosis (TB) Screening –	Complete on	tion A or B to fulfill	this requirement			
Option A: PPD (Mantoux) skin		tion A or B to juijiii	this requirement			
Required regardless of prior BC			PPD plac	ed I	PPD read	Induration
To complete this option:			PPD 1//		<i>J</i>	mm
2 step PPD (consisting of 2 PPDs			PPD 2 / /		/ /	mm
read 48-72 hours after placeme	ent) within the	e past 6 months	Both tests must be < 10mm.			
of your enrollment date.						
If PPD is positive (≥ 10mm), is the student free of TB symptoms? □ Yes □ No If yes, list date of the positive PPD and induration/, mm Was the student treated? □ Yes □ No If yes, for how long was the student treated and with which medication? If PPD is positive: option B or a chest x-ray** must be completed.						
Option B: FDA approved blood test To complete this option, you must provide an FDA approved blood test showing absence of TB infection within the past 6 months of your enrollment date. LAB REPORT MUST BE UPLOADED TO THE PORTAL		Blood test Date:/ Result: □ Negative □ Positive Type: □ QuantiFeron Gold □ T-Spot				
If your TB Blood test result is positive, a chest x-ray** must be completed.			□ Lab report attached			
**Chest x-ray result To complete this option a chest x-ray within the past 6 months must be normal and report must be uploaded to the portal.			Chest x-ray Date:/ □ Normal □ Abnormal □ Report attached			

Updated: 3.2025 Category 1 Immunization Packet | 2





Last name	First name		DOB (mm	/dd/yyyy)	RUID or A numb	er
Varicella (Chicken Pox) – Complete option A or B to fulfill this requirement						
Option A: Varicella	vaccine doses	Vaccine		Date (mm/dd/yyyy)	Result	
First dose on or afte	r your first birthday an	nd Varicella dose	1	/		
a second dose at lea	ıst 28 days apart	Varicella dose	2	/		
Option B: Varicella serologic immunity						
To satisfy this option	n, you must provide a					
blood test demonst	rating immunity to	Varicella titer		1 1	□ Immune □	Non-Immune
varicella.					☐ Lab report at	ttached
	REQUIRED AND MUST	BE				
UPLOADED AS AN A	TTACHMENT					
_	and Meningitis B – Me	=	required for	students who meet the o	criteria listed belov	v. Please
	ent to determine your re					
_	equirement assessmer	ıt				
Check all that apply You will be under	19 years old at the start	of your first somester				
	irst year in any college ar	•		using regardless of your	· age	
	duate student would NO	•	•		•	o Rutgers)
	nore of the following cor	nditions: asplenia, sick	le cell, N. m	eningitidis lab work, cor	nplement deficien	cy or
complement inhib						
	to/resident of areas with					
	of the boxes above, yo Vaccine		Manufac	• • • • • • • • • • • • • • • • • • • •	eningitis ACYW.	
Meningitis ACYW The most recent	vaccine	Date (mm/dd/yyyy)	Ivianuiac	turer		
dose must be on	Men ACYW dose 1	/	□ Menve	o 🗆 Menactra	☐ Menomune	□ MenQuadfi
or after your 16th						
birthday.	1					
Meningitis B requirement assessment						
Meningitis B require	Men ACYW dose 2 ement assessment		□ Menve	o Menactra	□ Menomune	□ MenQuadfi
Meningitis B require Check all that apply	ement assessment		□ Menve	o 🗆 Menactra 📗	□ Menomune	□ MenQuadfi
Check all that apply	ement assessment	conditions: asplenia			·	
Check all that apply You have one or complement inh	ement assessment below: more of the following hibitor use, HIV	•	a, sickle cel		·	
Check all that apply ☐ You have one or complement inh ☐ You are a travele	ement assessment below: more of the following hibitor use, HIV er to/resident of areas	with endemic menii	a, sickle cel	ll, N. meningitidis lab v	·	
Check all that apply You have one or complement inh You are a traveled if you checked any or checked any or checked and chec	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo	with endemic menii ou must receive a M	a, sickle cel ngitis eningitis B	II, N. meningitidis lab	·	
Check all that apply ☐ You have one or complement inh ☐ You are a travele	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo Vaccine	with endemic menii	a, sickle cel ngitis eningitis B Manufac	II, N. meningitidis lab v vaccination series. turer	·	
Check all that apply You have one or complement inh You are a traveled if you checked any or checked any or checked and chec	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo Vaccine Men B dose 1	with endemic menii ou must receive a M	a, sickle cel ngitis eningitis B	II, N. meningitidis lab v vaccination series. turer nba □ Bexsero	·	
Check all that apply You have one or complement inh You are a traveled if you checked any or checked any or checked and chec	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo Vaccine	with endemic menii ou must receive a M	a, sickle cel ngitis eningitis B Manufac	Vaccination series. turer base Bexsero	·	
Check all that apply You have one or complement inh You are a traveled if you checked any or checked any or checked and chec	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo Vaccine Men B dose 1	with endemic menii ou must receive a M	a, sickle cel ngitis leningitis B Manufac	II, N. meningitidis lab volume series. turer nba □ Bexsero nba □ Bexsero	·	
Check all that apply You have one or complement inh You are a traveled if you checked any of Meningitis B	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, you Vaccine Men B dose 1 Men B dose 2	with endemic menion must receive a M Date (mm/dd/yyyy) ///	a, sickle cel ngitis eningitis B Manufac	Vaccination series. turer hba Bexsero hba Bexsero	work, compleme	nt deficiency or
Check all that apply You have one or complement inh You are a traveled if you checked any of Meningitis B	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo Vaccine Men B dose 1 Men B dose 2 Men B dose 3 if you have received	with endemic menion must receive a M Date (mm/dd/yyyy) ///	a, sickle cel ngitis eningitis B Manufac	Vaccination series. turer hba Bexsero hba Bexsero	work, compleme	nt deficiency or
Check all that apply You have one or complement inh You are a traveled of the complement inh Meningitis B Indicate Vaccine Human	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo Vaccine Men B dose 1 Men B dose 2 Men B dose 3 if you have received Date (mm/dd/yyyy)	with endemic menion must receive a M Date (mm/dd/yyyy) // d the following vac	a, sickle cel ngitis eningitis B Manufac	II, N. meningitidis lab volume in the vaccination series. Inturer Inba Bexsero Inba Bexsero Inba Bexsero Inba Bexsero Inba Hexsero Inba Highly recommende	work, compleme	nt deficiency or
Check all that apply You have one or complement inh You are a traveled if you checked any of Meningitis B Indicate Vaccine	ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo Vaccine Men B dose 1 Men B dose 2 Men B dose 3 if you have received Date (mm/dd/yyyy)	with endemic menion must receive a M Date (mm/dd/yyyy) // d the following vac Manufacturer Gardasil 4	a, sickle cel ngitis eningitis B Manufac	Vaccination series. turer hba	work, compleme	nt deficiency or

Updated: 3.2025 Category 1 Immunization Packet | 3

☐ Gardasil 9

□ Cervarix

□ Unknown

□ Gardasil 4





Last name	First name		DOB (mm/dd/yyyy)	RUID or A number			
Indicate additional vaccinations you may have received.							
Vaccine	Date (mm/dd/yyyy)						
COVID-19 (most recent dose)		□ Pfizer	□ Moderna □ Novavax	□ Other			
Hepatitis A	/						
Japanese Encephalitis	/						
Pneumococcal	/	□ PCV13	□ PPSV23				
	/	□ PCV13	□ PPSV23				
	/	□ PCV13	□ PPSV23				
	/	□ PCV13	□ PPSV23				
Polio Booster	/						
Rabies							
	/						
Typhoid (most recent dose)		□ TyphIN	1 □ Vivotif				
Yellow Fever	//_						

Updated: 3.2025 Category 1 Immunization Packet | 4



Physical Examination Form

Your healthcare provider may supply their own physical form/document, which you may upload as documentation of your physical exam in lieu of using this form.

Part I: Student to com	iplete (<i>please pr</i>	rint or type)			
Last name		First name	DOB (mm/dd/yyyy)		
RUID or A number		Email	Cell phone		
School/Program		Grad year			
		· · · · · · · · · · · · · · · · · · ·			
Part II: To be complete	ed by the healtl	hcare provider			
Physical exam must be co	ompleted by a nor	n-relative physician, nu	urse practitioner, or physician's assistant		
Exam Date:					
Height (inches):		Weight (pounds):			
BMI:		BP:	Pulse:		
	Normal	Abnormal	If abnormal, please explain:		
General appearance					
Skin					
Head					
Eyes					
Neurological Exam					
Respiratory					
Psychiatric Exam					
	(; ()				
Healthcare provider na	me (<i>print)</i> :	Date	Practice stamp		
Healtheare provider per	mo (sign):				
Healthcare provider name (sign):					
NPI:					
INF I.					
			·		